




**ALCOMEX**  
SPRINGS

# VEREN UIT VOORRAAD

## STEMPELVEREN



# Stempelveren



# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
	12,5			106	8,5	1L10025	DS1
	15,0			100	10,0	1S10025	DS1
25	15,6	5	10	150	16,0	2S10025	DS1
	17,5			166	22,1	3S10025	DS2
	18,7			230	36,8	4S10025	DS2
	21,2			626	167,0	5S10025	DS7
	16,0			104	6,5	1L10032	DS1
	19,2			109	8,5	1S10032	DS1
32	20,0	5	10	156	13,0	2S10032	DS1
	22,4			168	17,5	3S10032	DS2
	24,0			223	27,9	4S10032	DS3
	27,2			624	130,0	5S10032	DS7
	19,0			105	5,5	1L10038	DS1
	22,8			103	6,8	1S10038	DS1
38	23,7	5	10	170	11,9	2S10038	DS2
	26,6			195	17,1	3S10038	DS2
	28,5			225	23,7	4S10038	DS4
	32,3			599	105,0	5S10038	DS8
	22,0			110	5,0	1L10045	DS2
	26,4			106	6,0	1S10045	DS1
44	27,5	5	10	170	10,3	2S10045	DS2
	30,8			198	15,0	3S10045	DS3
	33,0			211	19,2	4S10045	DS4
	37,4			568	86,0	5S10044	DS9
	25,5			115	4,5	1L10050	DS2
	30,6			102	5,0	1S10050	DS2
51	31,9	5	10	170	8,9	2S10050	DS2
	35,7			196	12,8	3S10050	DS3
	38,2			210	16,5	4S10050	DS5
	43,3			604	79,0	5S10051	DS9
	32,0			106	3,3	1L10065	DS3
	38,4			110	4,3	1S10065	DS3
64	40,0	5	10	180	7,5	2S10065	DS3
	44,8			205	10,7	3S10065	DS4
	48,0			211	13,2	4S10065	DS7
	54,4			595	62,0	5S10064	DS10
	38,0			122	3,2	1L10075	DS3
	45,6			97	3,2	1S10075	DS3
76	47,5	5	10	151	5,3	2S10075	DS4
	53,2			171	7,5	3S10075	DS6
	57,0			207	10,9	4S10075	DS7
	64,6			581	51,0	5S10076	DS11
	152,5			92,0	0,6	1L10303	DS17
	183,0			134	1,1	1S10303	DS17
305	190,6	5	10	183	1,6	2S10303	DS20
	213,5			192	2,1	3S10303	DS23
	228,7			198	2,6	4S10303	DS26

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel-nummer	Prijsgroep
	12,5			194	15,5	1L13025	DS1
	15,0			179	17,9	1S13025	DS1
25	15,6	6,3	12,5	281	30,0	2S13025	DS2
	17,5			316	42,1	3S13025	DS3
	18,7			366	58,5	4S13025	DS3
	21,2			1080	288,0	5S13025	DS8
	16,0			195	12,2	1L13032	DS2
	19,2			210	16,4	1S13032	DS1
32	20,0	6,3	12,5	298	24,8	2S13032	DS2
	22,4			319	33,2	3S13032	DS3
	24,0			351	43,9	4S13032	DS4
	27,2			1037	216,0	5S13032	DS9
	19,0			196	10,3	1L13038	DS2
	22,8			207	13,6	1S13038	DS2
38	23,7	6,3	12,5	305	21,4	2S13038	DS2
	26,6			334	29,3	3S13038	DS3
	28,5			342	36,0	4S13038	DS5
	32,3			1003	176,0	5S13038	DS10
	22,0			191	8,7	1L13045	DS2
	26,4			213	12,1	1S13045	DS2
44	27,5	6,3	12,5	305	18,5	2S13045	DS3
	30,8			325	24,6	3S13045	DS4
	33,0			333	30,3	4S13045	DS6
	37,4			983	149,0	5S13044	DS11
	25,5			191	7,5	1L13050	DS3
	30,6			233	11,4	1S13050	DS3
51	31,9	6,3	12,5	296	15,5	2S13050	DS3
	35,7			300	19,6	3S13050	DS4
	38,2			334	26,2	4S13050	DS6
	43,3			979	128,0	5S13051	DS12
	32,0			186	5,8	1L13065	DS4
	38,4			238	9,3	1S13065	DS4
64	40,0	6,3	12,5	290	12,1	2S13065	DS4
	44,8			288	15,0	3S13065	DS6
	48,0			339	21,2	4S13065	DS8
	54,4			960	100,0	5S13064	DS12
	38,0			179	4,7	1L13075	DS5
	45,6			216	7,1	1S13075	DS5
76	47,5	6,3	12,5	291	10,2	2S13075	DS6
	53,2			301	13,2	3S13075	DS7
	57,0			325	17,1	4S13075	DS8
	64,6			958	84,0	5S13076	DS13
	44,5			182	4,1	1L13090	DS7
	53,4			192	5,4	1S13090	DS6
80	55,6	6,3	12,5	280	8,4	2S13090	DS7
	62,3			304	11,4	3S13090	DS8
	66,7			323	14,5	4S13090	DS9
	75,6			948	71,0	5S13089	DS14

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel-nummer	Prijsgroep
	51,0			184	3,6	1L13101	DS8
	61,2			188	4,6	1S13101	DS6
	63,7			272	7,1	2S13101	DS9
102	71,4	6,3	12,5	288	9,4	3S13101	DS10
	76,5			319	12,5	4S13101	DS11
	86,7			933	61,0	5S13102	DS15
	152,5			183	1,2	1L13303	DS20
	183,0			171	1,4	1S13303	DS19
305	190,6	6,3	12,5	240	2,1	2S13303	DS21
	213,5			256	2,8	3S13303	DS27
	228,7			328	4,3	4S13303	DS29

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel-nummer	Prijsgroep
	12,5			253	20,2	1L16025	DS2
	15,0			234	23,4	1S16025	DS2
25	15,6	8	16	463	49,4	2S16025	DS3
	17,5			568	75,7	3S16025	DS4
	18,7			738	118,0	4S16025	DS4
	16,0			230	14,4	1L16032	DS2
	19,2			293	22,9	1S16032	DS2
	20,0			445	37,1	2S16032	DS3
32	22,4	8	16	507	52,8	3S16032	DS4
	24,0			712	89,0	4S16032	DS5
	27,2			2155	449,0	5S16032	DS13
	19,0			234	12,3	1L16038	DS3
	22,8			293	19,3	1S16038	DS3
	23,7			483	33,9	2S16038	DS4
38	26,6	8	16	553	48,5	3S16038	DS4
	28,5			685	72,1	4S16038	DS6
	32,3			2069	363,0	5S16038	DS14
	22,0			233	10,6	1L16045	DS3
	26,4			301	17,1	1S16045	DS3
	27,5			495	30,0	2S16045	DS4
44	30,8	8	16	565	42,8	3S16045	DS5
	33,0			670	60,9	4S16045	DS7
	37,4			2039	309,0	5S16044	DS16
	25,5			227	8,9	1L16050	DS4
	30,6			320	15,7	1S16050	DS3
	31,9			505	26,4	2S16050	DS4
51	35,7	8	16	568	37,1	3S16050	DS6
	38,2			667	52,3	4S16050	DS7
	43,3			1958	256,0	5S16051	DS8
	32,0			224	7,0	1L16065	DS5
	38,4			274	10,7	1S16065	DS5
	40,0			492	20,5	2S16065	DS6
64	44,8	8	16	582	30,3	3S16065	DS7
	48,0			659	41,2	4S16065	DS9
	54,4			1949	203,0	5S16064	DS18

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
	38,0			220	5,8	1L16075	DS6
	45,6			304	10,0	1S16075	DS6
76	47,5	8	16	507	17,8	2S16075	DS7
	53,2			588	25,8	3S16075	DS8
	57,0			648	34,1	4S16075	DS9
	64,6			1892	166,0	5S16076	DS19
	44,5			214	4,8	1L16090	DS7
	53,5			306	8,6	1S16090	DS7
89	55,60	8	16	507	15,2	2S16090	DS8
	62,3			579	21,7	3S16090	DS9
	66,7			656	29,5	4S16090	DS10
	75,6			1856	139,0	5S16089	DS19
	51,0			204	4,0	1L16101	DS8
	61,2			318	7,8	1S16101	DS7
102	63,7	8	16	516	13,5	2S16101	DS9
	71,4			591	19,3	3S16101	DS10
	76,5			653	25,6	4S16101	DS11
	86,7			1744	114,0	5S16102	DS20
	57,5			224	3,9	1L16115	DS9
	69,0			322	7,0	1S16115	DS8
115	71,9	8	16	518	12,0	2S16115	DS9
	80,5			587	17,0	3S16115	DS11
	86,2			656	22,8	4S16115	DS12
	97,7			1811	105,0	5S16115	DS21
127	107,9	8	16	1791	94,0	5S16127	DS22
152	129,2	8	16	1573	69,0	5S16152	DS24
	152,5			229	1,5	1L16303	DS21
	183,0			305	2,5	1S16303	DS21
305	190,6	8	16	549	4,8	2S16303	DS22
	213,5			650	7,1	3S16303	DS28
	228,7			641	8,4	4S16303	DS29
	259,2			1693	37,0	5S16305	DS34

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel- nummer	Prijsgroep
	12,5			401	32,1	1L19025	DS3
	15,0			558	55,8	1S19025	DS3
25	15,6	10	20	919	98,0	2S19025	DS3
	17,5			1620	216,0	3S19025	DS5
	18,7			1831	293,0	4S19025	DS6
	16,0			395	24,7	1L19032	DS3
	19,2			576	45,0	1S19032	DS3
32	20,0	10	20	871	72,6	2S19032	DS4
	22,4			1613	168,0	3S19032	DS6
	24,0			1792	224,0	4S19032	DS7
	19,0			393	20,7	1L19038	DS3
	22,8			506	33,3	1S19038	DS3
38	23,7	10	20	798	56,0	2S19038	DS4
	26,6			1471	129,0	3S19038	DS6
	28,5			1682	177,0	4S19038	DS7
	22,0			392	17,8	1L19045	DS4
	26,4			528	30,0	1S19045	DS4
44	27,5	10	20	784	47,5	2S19045	DS6
	30,8			1478	112,0	3S19045	DS7
	33,0			1639	149,0	4S19045	DS8
	37,4			2983	452,0	5S19044	DS17
	25,5			390	15,3	1L19050	DS4
	30,6			500	24,5	1S19050	DS4
51	31,9	10	20	798	41,7	2S19050	DS6
	35,7			1438	94,0	3S19050	DS8
	38,2			1632	128,0	4S19050	DS9
	43,3			2892	378,0	5S19051	DS18
	32,0			387	12,1	1L19065	DS6
	38,4			512	20,0	1S19065	DS6
64	40,0	10	20	775	32,3	2S19065	DS7
	44,8			1384	72,1	3S19065	DS9
	48,0			1584	99,0	4S19065	DS10
	54,4			2890	301,0	5S19064	DS19
	38,0			388	10,2	1L19075	DS7
	45,6			486	16,0	1S19075	DS6
76	47,5	10	20	715	25,1	2S19075	DS8
	53,2			1361	59,7	3S19075	DS10
	57,0			1552	81,7	4S19075	DS11
	64,6			2816	247,0	5S19076	DS21
	44,5			383	8,6	1L19090	DS8
	53,5			498	14,0	1S19090	DS8
89	55,6	10	20	734	22,0	2S19090	DS9
	62,3			1348	50,5	3S19090	DS11
	66,7			1546	69,5	4S19090	DS13
	75,6			2777	208,0	5S19089	DS23

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel- nummer	Prijsgroep
	51,0			383	7,5	1L19101	DS9
	61,2			490	12,0	1S19101	DS8
102	63,7	10	20	757	19,8	2S19101	DS10
	71,4			1353	44,2	3S19101	DS12
	76,5			1545	60,6	4S19101	DS14
	86,7			2876	188,0	5S19102	DS25
	57,5			385	6,7	1L19115	DS10
	69,0			501	10,9	1S19115	DS10
115	71,9	10	20	781	18,1	2S19115	DS11
	80,5			1325	38,4	3S19115	DS14
	86,2			1524	53,0	4S19115	DS16
	97,7			2743	159,0	5S19115	DS28
	63,5			387	6,1	1L19126	DS11
	76,2			483	9,5	1S19126	DS11
127	79,4	10	20	791	16,6	2S19126	DS12
	88,9			1299	34,1	3S19126	DS16
	95,2			1508	47,5	4S19126	DS18
	107,9			2781	146,0	5S19127	DS29
	69,5			382	5,5	1L19140	DS12
	83,4			467	8,4	1S19140	DS12
139	86,9	10	20	787	15,1	2S19140	DS13
	97,3			1293	31,0	3S19140	DS17
	104,2			1494	43,0	4S19140	DS19
	76,0			388	5,1	1L19151	DS12
	91,2			456	7,5	1S19151	DS12
152	95,0	10	20	502	13,2	2S19151	DS15
	106,4			1286	28,2	3S19151	DS18
	114,0			1482	39,0	4S19151	DS20
	129,2			2759	121,0	5S19152	DS30
	152,5			381	2,5	1L19303	DS27
	183,0			488	4,0	1S19303	DS27
305	190,6	10	20	698	6,1	2S19303	DS29
	213,5			1373	15,0	3S19303	DS31
	228,7			1617	21,2	4S19303	DS33
	259,2			2745	60,0	5S19305	DS37



# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
	12,5			659	52,7	1L26025	DS3
	15,0			1000	100,0	1S26025	DS3
25	15,6	12,5	25,5	1378	147,0	2S26025	DS4
	17,5			2813	375,0	3S26025	DS6
	18,7			3074	488,0	4S26025	DS7
	16,0			640	40,0	1L26032	DS4
	19,2			1028	80,3	1S26032	DS4
32	20,0	12,5	25,5	1416	118,0	2S26032	DS1
	22,4			2851	297,0	3S26032	DS7
	24,0			2995	374,4	4S26032	DS7
	19,0			633	33,3	1L26038	DS6
	22,8			942	62,0	1S26038	DS6
38	23,7	12,5	25,5	1325	93,0	2S26038	DS6
	26,6			2497	219,0	3S26038	DS8
	28,5			3287	346,0	4S26038	DS8
	22,0			629	28,6	1L26045	DS7
	26,4			931	52,9	1S26045	DS6
44	27,5	12,5	25,5	1333	80,8	2S26045	DS7
	30,8			2468	187,0	3S26045	DS9
	33,0			2684	244,0	4S26045	DS4
	37,4			7643	1158,0	5S25044	DS20
	25,5			630	24,7	1L26050	DS8
	30,6			898	44,0	1S26050	DS7
51	31,9	12,5	25,5	1312	68,6	2S26050	DS8
	35,7			2387	156,0	3S26050	DS10
	38,2			2646	207,5	4S26050	DS11
	43,3			7137	933,0	5S25051	DS21
	32,0			621	19,4	1L26065	DS10
	38,4			901	35,2	1S26065	DS9
64	40,0	12,5	25,5	1272	53,0	2S26065	DS9
	44,8			2362	123,0	3S26065	DS11
	48,0			2576	161,0	4S26065	DS13
	54,4			7008	730,0	5S25064	DS22
	38,0			619	16,3	1L26075	DS11
	45,6			851	28,0	1S26075	DS11
76	47,5	12,5	25,5	1231	43,2	2S26075	DS11
	53,2			2257	99,0	3S26075	DS13
	57,0			2485	130,8	4S26075	DS15
	64,6			6338	556,0	5S25076	DS24
	44,5			619	13,9	1L26090	DS13
	53,5			854	24,0	1S26090	DS12
89	55,6	12,5	25,5	1275	38,2	2S26090	DS13
	62,3			2243	84,0	3S26090	DS15
	66,7			2459	110,5	4S26090	DS17
	75,6			6168	462,0	5S25089	DS26

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
	51,0			617	12,1	1L26101	DS14
	61,2			861	21,1	1S26101	DS13
102	63,7	12,5	25,5	1262	33,0	2S26101	DS14
	71,4			2234	73,0	3S26101	DS16
	76,5			2456	96,3	4S26101	DS19
	86,7			5967	390,0	5S25102	DS28
	57,5			621	10,8	1L26115	DS16
	69,0			860	18,7	1S26115	DS16
115	71,9	12,5	25,5	1208	28,0	2S26115	DS16
	80,5			2243	65,0	3S26115	DS18
	86,2			2464	85,7	4S26115	DS20
	97,7			6210	360,0	5S25115	DS29
	63,5			622	9,8	1L26126	DS17
	76,2			848	16,7	1S26126	DS17
127	79,4	12,5	25,5	1233	25,9	2S26126	DS18
	88,9			2198	57,7	3S26126	DS20
	95,2			2423	76,3	4S26126	DS21
	107,9			6210	326,0	5S25127	DS30
	69,5			619	8,9	1L26140	DS19
	83,4			851	15,3	1S26140	DS18
139	86,9	12,5	25,5	1209	23,2	2S26140	DS19
	97,3			2198	52,7	3S26140	DS20
	104,2			2415	69,5	4S26140	DS22
	76,0			616	8,1	1L26151	DS20
	91,2			851	14,0	1S26151	DS19
152	95,0	12,5	25,5	1186	20,8	2S26151	DS20
	106,4			2180	47,8	3S26151	DS21
	114,0			2413	63,5	4S26151	DS23
	129,2			5814	255,0	5S25152	DS31
	89,0			614	6,9	1L26176	DS21
	106,8			890	12,5	1S26176	DS20
178	111,2	12,5	25,5	1188	17,8	2S26176	DS22
	124,6			2189	41,0	3S26176	DS23
	133,5			2399	53,9	4S26176	DS25
	151,3			6141	230,0	5S25178	DS33
	101,5			619	6,1	1L26202	DS23
	121,8			844	10,4	1S26202	DS22
203	126,9	12,5	25,5	1203	15,8	2S26202	DS23
	142,1			2180	35,8	3S26202	DS26
	152,2			2385	47,0	4S26202	DS27
	172,5			6151	202,0	5S25203	DS34
	152,5			610	4,0	1L26303	DS31
	183,0			854	7,0	1S26303	DS31
305	190,6	12,5	25,5	1167	10,2	2S26303	DS23
	213,5			2095	22,9	3S26303	DS33
	228,7			2356	30,9	4S26303	DS33
	259,2			6222	136,0	5S25305	DS38

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
	19,0			832	34,8	1L32038	DS8
	22,8			1429	94,0	1S32038	DS7
38	23,7	16	32	2636	185,0	2S32038	DS8
	26,6			4423	388,0	3S32038	DS10
	28,5			5018	528,2	4S32038	DS5
	22,0			825	37,5	1L32045	DS9
	26,4			1399	79,5	1S32045	DS8
44	27,5	16	32	2607	158,0	2S32045	DS9
	30,8			4277	324,0	3S32045	DS12
	33,0			4668	424,4	4S32045	DS13
	37,4			8580	1300,0	5S32044	DS28
	25,5			824	32,3	1L32050	DS10
	30,6			1367	67,0	1S32050	DS9
51	31,9	16	32	2563	134,0	2S32050	DS10
	35,7			4162	272,0	3S32050	DS13
	38,2			4501	353,0	4S32050	DS15
	43,3			8798	1150,0	5S32051	DS29
	32,0			813	25,4	1L32065	DS12
	38,4			1357	53,0	1S32065	DS11
64	40,0	16	32	2376	99,0	2S32065	DS12
	44,8			4070	212,0	3S32065	DS15
	48,0			4307	269,2	4S32065	DS18
	54,4			8515	887,0	5S32064	DS30
	38,0			809	21,3	1L32075	DS13
	45,6			1338	44,0	1S32075	DS13
76	47,5	16	32	2294	80,5	2S32075	DS14
	53,2			3922	172,0	3S32075	DS17
	57,0			4152	218,5	4S32075	DS19
	64,6			8356	733,0	5S32076	DS31
	44,5			805	18,1	1L32090	DS16
	53,5			1324	37,2	1S32090	DS15
89	55,6	16	32	2306	69,1	2S32090	DS16
	62,3			3765	141,0	3S32090	DS19
	66,7			4012	180,3	4S32090	DS21
	75,6			8170	612,0	5S32089	DS32
	51,0			806	15,8	1L32101	DS17
	61,2			1306	32,0	1S32101	DS8
102	63,7	16	32	2249	58,8	2S32101	DS17
	71,4			3733	122,0	3S32101	DS20
	76,5			3953	155,0	4S32101	DS22
	86,7			8323	544,0	5S32102	DS33
	57,5			799	13,9	1L32115	DS19
	69,0			1334	29,0	1S32115	DS19
115	71,9	16	32	2221	51,5	2S32115	DS20
	80,5			3692	107,0	3S32115	DS22
	86,2			4025	140,0	4S32115	DS23
	97,7			8522	494,0	5S32115	DS34

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
	63,5			800	12,6	1L32126	DS21
	76,2			1270	25,0	1S32126	DS20
127	79,4	16	32	2134	44,8	2S32126	DS21
	88,9			3534	93,0	3S32126	DS24
	95,2			3937	124,0	4S32126	DS25
	107,9			8230	432,0	5S32127	DS35
	69,5			792	11,4	1L32140	DS21
	83,4			1279	23,0	1S32140	DS21
139	86,9	16	32	2205	42,3	2S32140	DS22
	97,3			3586	86,0	3S32140	DS25
	104,2			3898	112,0	4S32140	DS27
	76,0			798	10,5	1L32151	DS22
	91,2			1307	21,5	1S32151	DS22
152	95,0	16	32	2155	37,8	2S32151	DS23
	106,4			3557	78,0	3S32151	DS27
	114,0			3876	102,0	4S32151	DS28
	129,2			8117	356,0	5S32152	DS37
	89,0			792	8,9	1L32176	DS24
	106,8			1296	18,2	1S32176	DS24
178	111,2	16	32	2169	32,5	2S32176	DS25
	124,6			3588	67,2	3S32176	DS29
	133,5			3925	88,2	4S32176	DS30
	151,3			8117	304,0	5S32178	DS38
	101,5			792	7,8	1L32202	DS26
	121,8			1283	15,8	1S32202	DS25
203	126,9	16	32	2200	28,9	2S32202	DS18
	142,1			3599	59,1	3S32202	DS31
	152,2			3857	76,0	4S32202	DS31
	172,5			8069	265,0	5S32203	DS38
	127,0			787	6,2	1L32252	DS28
	152,4			1270	12,5	1S32252	DS27
254	158,7	16	32	2038	21,4	2S32252	DS29
	177,8			3536	46,4	3S32252	DS32
	190,5			3861	60,8	4S32252	DS33
	215,9			8153	214,0	5S32254	DS39
	152,5			793	5,2	1L32303	DS33
	183,0			1257	10,3	1S32303	DS32
305	190,6	16	32	2093	18,3	2S32303	DS33
	213,5			3477	38,0	3S32303	DS35
	228,7			3736	49,0	4S32303	DS35
	259,2			8098	177,0	5S32305	DS41

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel- nummer	Prijsgroep
	25,5			1295	50,8	1L38050	DS12
	30,6			1877	92,0	1S38050	DS11
51	31,9	20	40	3473	181,6	2S38050	DS13
	35,7			5355	350,0	3S38050	DS17
	38,2			8007	628,0	4S38050	DS19
	32,0			1270	39,7	1L38065	DS15
	38,4			1869	73,0	1S38065	DS14
64	40,0	20	40	3360	140,0	2S38065	DS16
	44,8			5165	269,0	3S38065	DS19
	48,0			7792	487,0	4S38065	DS20
	54,4			11789	1228,0	5S38064	DS33
	38,0			1258	33,1	1L38075	DS18
	45,6			1915	63,0	1S38075	DS18
76	47,5	20	40	3078	108,0	2S38075	DS19
	53,2			4993	219,0	3S38075	DS21
	57,0			7201	379,0	4S38075	DS22
	64,6			11594	1017,0	5S38076	DS33
	44,5			1250	28,1	1L38090	DS20
	53,5			1816	51,0	1S38090	DS20
89	55,6	20	40	3027	90,7	2S38090	DS20
	62,3			5073	190,0	3S38090	DS23
	66,7			7142	321,0	4S38090	DS25
	75,6			11748	880,0	5S38089	DS33
	51,0			1250	24,5	1L38101	DS22
	61,2			1754	43,0	1S38101	DS21
102	63,7	20	40	3098	81,0	2S38101	DS22
	71,4			4988	163,0	3S38101	DS25
	76,5			7166	281,0	4S38101	DS28
	86,7			11659	762,0	5S38102	DS35
	57,5			1242	21,6	1L38115	DS24
	69,0			1822	39,6	1S38115	DS23
115	71,9	20	40	3096	71,8	2S38115	DS24
	80,5			4899	142,0	3S38115	DS28
	86,2			7044	245,0	4S38115	DS30
	97,7			11713	679,0	5S38115	DS36
	63,5			1238	19,5	1L38126	DS25
	76,2			1880	37,0	1S38126	DS25
127	79,4	20	40	2986	62,7	2S38126	DS25
	88,9			4877	128,0	3S38126	DS29
	95,2			7017	221,0	4S38126	DS31
	107,9			11849	622,0	5S38127	DS37
	69,5			1237	17,8	1L38140	DS27
	83,4			1779	32,0	1S38140	DS26
139	86,9	20	40	2997	57,5	2S38140	DS27
	97,3			4796	115,0	3S38140	DS30
	104,2			6786	195,0	4S38140	DS32

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
	76,0			1239	16,3	1L38151	DS28
	91,2			1702	28,0	1S38151	DS27
152	95,0	20	40	2941	51,6	2S38151	DS28
	106,4			4788	105,0	3S38151	DS31
	114,0			6384	168,0	4S38151	DS33
	129,2			11605	509,0	5S38152	DS38
160	100,0	20	40	2850	47,5	2S38160	DS29
	89,0			1228	13,8	1L38176	DS29
	106,8			1794	25,2	1S38176	DS29
178	111,2	20	40	2944	44,1	2S38176	DS30
	124,6			4753	89,0	3S38176	DS32
	133,5			6675	150,0	4S38176	DS33
	151,3			11454	429,0	5S38178	DS39
	101,5			1228	12,1	1L38202	DS31
	121,8			1843	22,7	1S38202	DS30
203	126,9	20	40	2794	36,7	2S38202	DS31
	142,1			4689	77,0	3S38202	DS33
	152,2			6699	132,0	4S38202	DS34
	172,5			11388	374,0	5S38203	DS39
	127,0			1232	9,7	1L38252	DS33
	152,4			1727	17,0	1S38252	DS33
254	158,7	20	40	2867	30,1	2S38252	DS33
	177,8			4648	61,0	3S38252	DS34
	190,5			6795	107,0	4S38252	DS36
	215,9			11278	296,0	5S38254	DS40
	152,5			1220	8,0	1L38303	DS34
	183,0			1806	14,8	1S38303	DS34
305	190,6	20	40	2814	24,6	2S38303	DS35
	213,5			4667	51,0	3S38303	DS36
	228,7			6695	87,8	4S38303	DS37
	259,2			11255	246,0	5S38305	DS42

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel- nummer	Prijsgroep
	32,0			2566	80,2	1L51065	DS23
	38,4			3994	156,0	1S51065	DS23
64	40,0	25	50	5016	209,0	2S51065	DS24
	44,8			7930	413,0	3S51065	DS27
	48,0			11344	709,0	4S51065	DS29
	54,4			19008	1980,0	5S50064	DS37
	38,0			2542	66,9	1L51075	DS25
	45,6			3800	125,0	1S51075	DS24
76	47,5	25	50	4788	168,0	2S51075	DS26
	53,2			7729	339,0	3S51075	DS29
	57,0			10868	572,0	4S51075	DS31
	64,6			20645	1811,0	5S50076	DS38
	44,5			2519	56,6	1L51090	DS27
	53,5			3880	109,0	1S51090	DS26
89	55,6	25	50	4673	140,0	2S51090	DS28
	62,3			7690	288,0	3S51090	DS30
	66,7			10569	475,0	4S51090	DS33
	75,6			18824	1410,0	5S50089	DS38
	51,0			2514	49,3	1L51101	DS28
	61,2			3835	94,0	1S51101	DS27
102	63,7	25	50	4552	119,0	2S51101	DS29
	71,4			7497	245,0	3S51101	DS32
	76,5			10328	405,0	4S51101	DS33
	86,7			18590	1215,0	5S50102	DS38
	57,5			2501	43,5	1L51115	DS30
	69,0			3726	81,0	1S51115	DS29
115	71,9	25	50	4571	106,0	2S51115	DS30
	80,5			7418	215,0	3S51115	DS33
	86,2			10120	352,0	4S51115	DS34
	97,7			18561	1076,0	5S50115	DS39
	63,5			2496	39,3	1L51126	DS31
	76,2			3607	71,0	1S51126	DS30
127	79,4	25	50	4620	97,0	2S51126	DS31
	88,9			7315	192,0	3S51126	DS26
	95,2			10033	316,0	4S51126	DS35
	107,9			18440	968,0	5S50127	DS40
	69,5			2488	35,8	1L51140	DS32
	83,4			3697	66,5	1S51140	DS31
139	86,9	25	50	4535	87,0	2S51140	DS33
	97,3			7006	168,0	3S51140	DS34
	104,2			10043	289,0	4S51140	DS36
	76,0			2493	32,8	1L51151	DS32
	91,2			3648	60,0	1S51151	DS32
152	95,0	25	50	4560	80,0	2S51151	DS33
	106,4			7022	154,0	3S51151	DS35
	114,0			9082	239,0	4S51151	DS36
	129,2			18377	806,0	5S50152	DS41
160	100,0	25	50	4560	76,0	2S51160	DS34

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel- nummer	Prijsgroep
	89,0			2474	27,8	1L51176	DS33
	106,8			3702	52,0	1S51176	DS33
178	111,2	25	50	4639	69,5	2S51176	DS34
	124,6			7156	134,0	3S51176	DS36
	133,5			9612	216,0	4S51176	DS38
	151,3			18637	698,0	5S50178	DS42
	101,5			2456	24,2	1L51202	DS34
	121,8			3573	44,0	1S51202	DS34
203	126,9	25	50	4552	59,8	2S51202	DS35
	142,1			7125	117,0	3S51202	DS37
	152,2			9490	187,0	4S51202	DS38
	172,5			18635	612,0	5S50203	DS43
229	137,4	25	50	3499	38,2	1S51229	DS35
	143,1			4371	50,9	2S51229	DS37
	127,0			2438	19,2	1L51252	DS36
	152,4			3556	35,0	1S51252	DS36
254	158,7	25	50	4181	43,9	2S51252	DS38
	177,8			6782	89,0	3S51252	DS39
	190,5			9716	153,0	4S51252	DS40
	215,9			17983	472,0	5S50254	DS44
	152,5			2440	16,0	1L51303	DS38
	183,0			3477	28,5	1S51303	DS38
305	190,6	25	50	4415	38,6	2S51303	DS39
	213,5			6680	73,0	3S51303	DS40
	228,7			9684	127,0	4S51303	DS41
	259,2			17751	388,0	5S50305	DS46



# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
	38,0			2196	57,8	1L63075	DS33
	45,6			5746	189,0	1S63075	DS32
76	47,5	38	63	8892	312,0	2S63075	DS33
	53,2			14364	630,0	3S63075	DS36
	57,0			15998	842,0	4S63075	DS38
	44,5			2287	51,4	1L63090	DS33
	53,5			5625	158,0	1S63090	DS33
89	55,6	38	63	8678	260,0	2S63090	DS34
	62,3			12950	485,0	3S63090	DS37
	66,7			16154	726,0	4S63090	DS39
	75,6			27003	1517,0	5S63089	DS43
	51,0			2264	44,4	1L63101	DS35
	61,2			5345	131,0	1S63101	DS34
102	63,7	38	63	8453	221,0	2S63101	DS35
	71,4			13280	434,0	3S63101	DS38
	76,5			16728	656,0	4S63101	DS39
	86,7			27078	1295,0	5S63102	DS44
	57,5			2392	41,6	1L63115	DS36
	69,0			5336	116,0	1S63115	DS35
115	71,9	38	63	8064	187,0	2S63115	DS36
	80,5			13248	384,0	3S63115	DS38
	86,2			15353	534,0	4S63115	DS40
	97,7			26825	1070,0	5S63115	DS44
	63,5			2108	33,2	1L63126	DS36
	76,2			5232	103,0	1S63126	DS36
127	79,4	38	63	8001	168,0	2S63126	DS37
	88,9			13297	349,0	3S63126	DS38
	95,2			15240	480,0	4S63126	DS40
	107,9			26732	979,0	5S63127	DS44
	76,0			2082	27,4	1L63151	DS38
	91,2			5125	84,3	1S63151	DS38
152	95,0	38	63	7752	136,0	2S63151	DS38
	106,4			12586	276,0	3S63151	DS39
	114,0			15048	396,0	4S63151	DS41
	129,2			26505	775,0	5S63152	DS45
160	100,0	38	63	7680	128,0	2S63160	DS39
	89,0			2136	34,0	1L63176	DS39
	106,8			5091	71,5	1S63176	DS38
178	111,2	38	63	7610	114,0	2S63176	DS39
	124,6			12656	237,0	3S63176	DS40
	133,5			14908	335,0	4S63176	DS43
	151,3			26353	630,0	5S63178	DS46
	101,5			2132	21,0	1L63202	DS40
	121,8			5010	61,7	1S63202	DS39
203	126,9	38	63	7613	100,0	2S63202	DS40
	142,1			12789	210,0	3S63202	DS41
	152,2			15073	297,0	4S63202	DS44
	154,5			26490	546,0	5S63203	DS47
229	143,1	38	63	7660	89,2	2S63229	DS41

alle maten in millimeters

# STEMPELVEREN

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
	127,0			2083	16,4	1L63252	DS41
	152,4			4775	47,0	1S63252	DS41
254	158,7	38	63	7468	78,4	2S63252	DS42
	177,8			12573	165,0	3S63252	DS43
	190,5			14923	235,0	4S63252	DS45
	215,9			26323	423,0	5S63254	DS48
	152,5			2074	13,6	1L63303	DS43
	183,0			4660	38,2	1S63303	DS43
305	190,6	38	63	7400	64,7	2S63303	DS43
	213,5			12261	134,0	3S63303	DS44
	228,7			14793	194,0	4S63303	DS46
	259,2			26079	349,0	5S63305	DS48
315	252,2	38	63	7418	62,8	2S63315	DS43
400	351,5	38	63	7275	48,5	2S63400	DS45

# BEZOEK ONZE WEBSHOP



# WWW.ALCOMEX.NL

alle maten in millimeters

# STEMPELVEREN ZWART

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel- nummer	Prijsgroep
20	17,8				580,0	BK10020	DS23
30	26,5	5	10	1250	360,0	BK10030	DS27
40	35,2				260,0	BK10040	DS29
50	44,0				200,0	BK10050	DS30
20	17,6				850,0	BK13020	DS25
30	26,7	6,3	12,5	2000	590,0	BK13030	DS27
40	35,0				400,0	BK13040	DS30
50	44,0				320,0	BK13050	DS31
20	17,9				1650,0	BK16020	DS23
35	31,2				920,0	BK16035	DS31
50	44,0	8	16	3500	580,0	BK16050	DS32
75	66,5				410,0	BK16075	DS33
100	87,5				280,0	BK16100	DS34
25	22,8				2270,0	BK19025	DS32
40	35,7				1160,0	BK19040	DS33
50	44,0	10	19	5000	830,0	BK19050	DS33
75	65,0				500,0	BK19075	DS34
100	86,0				360,0	BK19100	DS35
30	27,8				4550,0	BK25030	DS33
50	45,0				2000,0	BK25050	DS34
60	53,5	12,5	25	10000	1500,0	BK25060	DS35
75	67,0				1250,0	BK25075	DS35
100	88,9				900,0	BK25100	DS37
125	111,0				710,0	BK25125	DS38
35	32,2				5360,0	BK32035	DS36
50	45,0				3000,0	BK32050	DS38
75	66,0	16	32	15000	1670,0	BK32075	DS38
100	87,5				1200,0	BK32100	DS40
125	109,0				940,0	BK32125	DS41
150	131,5				810,0	BK32150	DS43
40	36,5				5710,0	BK38040	DS40
50	45,0				4000,0	BK38050	DS41
75	66,0	20	38	20000	2220,0	BK38075	DS42
100	87,0				1540,0	BK38100	DS43
150	131,0				1050,0	BK38150	DS44
200	173,0				740,0	BK38200	DS45
60	52,4				4605,0	BK50060	DS44
75	66,1				3932,0	BK50075	DS44
100	86,8	25	50	35000	2650,0	BK50100	DS45
125	107,5				2000,0	BK50125	DS45
150	128,2				1605,0	BK50150	DS46
200	170,0				1167,0	BK50200	DS46

# STEMPELVEREN ZWART DUPLEX

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikel- nummer	Prijsgroep
35	32,0				6280,0	BK32035-D	DS41
50	44,8	8	32	18500	3580,0	BK32050-D	DS42
75	66,0				2080,0	BK32075-D	DS43
100	87,5				1480,0	BK32100-D	DS44
40	36,4				6880,0	BK38040-D	DS43
50	44,8	10	38	25000	4830,0	BK38050-D	DS44
75	65,8				2720,0	BK38075-D	DS45
100	86,8				1900,0	BK38100-D	DS46
60	52,6				6105,0	BK50060-D	DS46
75	66,3	12,5	50	45000	5182,0	BK50075-D	DS46
100	87,3				3550,0	BK50100-D	DS47
125	108,4				2710,0	BK50125-D	DS47

# STEMPELVEREN GOUDKLEURIG

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
25	21,7			167	543	6S10025	DS5
30	26,1			130	507	6S10030	DS5
35	30,4			113	514	6S10035	DS6
40	34,8	5	10	98	510	6S10040	DS7
45	39,1			86	503	6S10045	DS7
50	43,5			79	514	6S10050	DS8
55	47,8			71	508	6S10055	DS9
60	52,2			67	523	6S10060	DS10
25	21,7			231	751	6S12025	DS5
30	26,1			185	722	6S12030	DS6
35	30,4			158	719	6S12035	DS7
40	34,8	6	12	124	645	6S12040	DS7
45	39,1			118	690	6S12045	DS8
50	43,5			107	696	6S12050	DS9
55	47,8			96	686	6S12055	DS10
60	52,2			87	679	6S12060	DS11
30	26,1			329	1283	6S14030	DS8
35	30,4			276	1256	6S14035	DS8
40	34,8			234	1217	6S14040	DS9
45	39,1	7	14	200	1170	6S14045	DS10
50	43,5			178	1157	6S14050	DS10
55	47,8			158	1130	6S14055	DS11
60	52,2			144	1123	6S14060	DS13
30	26,1			456	1778	6S16030	DS12
35	30,4			387	1761	6S16035	DS12
40	34,8			334	1737	6S16040	DS13
45	39,1	8	16	291	1702	6S16045	DS14
50	43,5			258	1677	6S16050	DS15
55	47,8			234	1673	6S16055	DS16
60	52,2			215	1677	6S16060	DS16
30	26,1			587	2289	6S18030	DS12
35	30,4			482	2193	6S18035	DS13
40	34,8			428	2226	6S18040	DS14
45	39,1	9	18	368	2153	6S18045	DS16
50	43,5			322	2093	6S18050	DS17
55	47,8			288	2059	6S18055	DS18
60	52,2			267	2083	6S18060	DS19

# STEMPELVEREN GOUDKLEURIG

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
30	26,1			2691	690	6S20030	DS13
35	30,4			2630	578	6S20035	DS14
40	34,8			2605	501	6S20040	DS16
45	39,1			2586	442	6S20045	DS17
50	43,5			2574	396	6S20050	DS19
55	47,8			2567	359	6S20055	DS19
60	52,2	10	20	2558	328	6S20060	DS20
65	56,5			2560	303	6S20065	DS21
70	60,9			2557	281	6S20070	DS22
75	65,2			2564	263	6S20075	DS23
80	69,6			2569	247	6S20080	DS23
90	78,3			2562	219	6S20090	DS25
100	87,0			2574	198	6S20100	DS27
125	108,7			2568	158	6S20125	DS30
150	130,5			2555	131	6S20150	DS32
30	26,1			3803	975	6S22030	DS13
35	30,4			3617	795	6S22035	DS15
40	34,8			3292	633	6S22040	DS17
45	39,1			3282	561	6S22045	DS18
50	43,5			3582	551	6S22050	DS19
55	47,8			3153	441	6S22055	DS20
60	52,2	11	22	3276	420	6S22060	DS21
65	56,5			3304	391	6S22065	DS22
70	60,9			3240	356	6S22070	DS23
75	65,2			3247	333	6S22075	DS24
80	69,6			3370	324	6S22080	DS25
90	78,3			3229	276	6S22090	DS26
100	87,0			3289	253	6S22100	DS28
125	108,7			3234	199	6S22125	DS30
150	130,5			3237	166	6S22150	DS32
35	30,4			6188	1360	6S25035	DS16
40	34,8			4956	953	6S25040	DS17
45	39,1			4896	837	6S25045	DS19
50	43,5			4856	747	6S25050	DS19
55	47,8			4819	674	6S25055	DS20
60	52,2			4797	615	6S25060	DS21
65	56,5	12,5	25	4783	566	6S25065	DS22
70	60,9			4768	524	6S25070	DS23
75	65,2			4768	489	6S25075	DS24
80	69,6			4763	458	6S25080	DS25
90	78,3			4715	403	6S25090	DS26
100	87,0			4732	364	6S25100	DS28
125	108,7			4713	290	6S25125	DS30
150	130,5			4661	239	6S25150	DS33
175	152,2			4664	205	6S25175	DS34

alle maten in millimeters

# STEMPELVEREN GOUDKLEURIG

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
35	30,4			7253	1594	6S27035	DS18
40	34,8			5980	1150	6S27040	DS19
45	39,1			5774	987	6S27045	DS20
50	43,5			5701	877	6S27050	DS21
55	47,8			5670	793	6S27055	DS22
60	52,2			5647	724	6S27060	DS23
65	56,5			5636	667	6S27065	DS24
70	60,9	13,5	27	5624	618	6S27070	DS25
75	65,2			5616	576	6S27075	DS26
80	69,6			5606	539	6S27080	DS27
90	78,3			5581	477	6S27090	DS29
100	87,0			5564	428	6S27100	DS30
125	108,7			5509	339	6S27125	DS32
150	130,5			5480	281	6S27150	DS34
175	152,2			5460	240	6S27175	DS35
35	30,4			6761	1486	6S30035	DS20
40	34,8			6750	1298	6S30040	DS21
45	39,1			6587	1126	6S30045	DS22
50	43,5			6526	1004	6S30050	DS23
55	47,8			6528	913	6S30055	DS24
60	52,2			6529	837	6S30060	DS26
65	56,5			6498	769	6S30065	DS27
70	60,9	15	30	6488	713	6S30070	DS28
75	65,2			6474	664	6S30075	DS29
80	69,6			6469	622	6S30080	DS29
90	78,3			6435	550	6S30090	DS30
100	87,0			6422	494	6S30100	DS32
125	108,7			6354	391	6S30125	DS34
150	130,5			6338	325	6S30150	DS35
175	152,2			6325	278	6S30175	DS36
200	174,0			6318	243	6S30200	DS37
45	39,1			8073	1380	6S35045	DS25
50	43,5			7657	1178	6S35050	DS26
55	47,8			7600	1063	6S35055	DS27
60	52,2			7550	968	6S35060	DS29
65	56,5			7521	890	6S35065	DS29
70	60,9			7571	832	6S35070	DS30
75	65,2	17,5	35	7615	781	6S35075	DS31
80	69,6			7727	743	6S35080	DS31
90	78,3			7640	653	6S35090	DS33
100	87,0			7605	585	6S35100	DS33
125	108,7			7540	464	6S35125	DS35
150	130,5			7020	360	6S35150	DS37
175	152,2			7053	310	6S35175	DS38
200	174,0			7020	270	6S35200	DS38

alle maten in millimeters

# STEMPELVEREN GOUDKLEURIG

Lo	Ln	As	Bus	Fn (N)	c N/mm	Artikelnummer	Prijsgroep
45	39,1			10706	1830	6S40045	DS28
50	43,5			10270	1580	6S40050	DS29
55	47,8			10260	1435	6S40055	DS30
60	52,2			10608	1360	6S40060	DS30
65	56,5			10368	1227	6S40065	DS31
70	60,9			10347	1137	6S40070	DS32
75	65,2	20	40	10325	1059	6S40075	DS33
80	69,6			10338	994	6S40080	DS33
90	78,3			10308	881	6S40090	DS34
100	87,0			10010	770	6S40100	DS35
125	108,7			10140	624	6S40125	DS36
150	130,5			10062	516	6S40150	DS38
175	152,2			10056	442	6S40175	DS39
200	174,0			10010	385	6S40200	DS39
45	39,1			13291	2272	6S40045-D	DS38
55	47,8	10	40	12827	1794	6S40055-D	DS36
75	65,2			12890	1322	6S40075-D	DS35
100	87,0			12584	968	6S40100-D	DS39
55	47,8			16409	2295	6S50055	DS34
60	52,2			16731	2145	6S50060	DS34
65	56,5			16038	1898	6S50065	DS35
70	60,9			15425	1695	6S50070	DS36
75	65,2			16614	1704	6S50075	DS36
80	69,6			16848	1620	6S50080	DS36
90	78,3	25	50	16345	1397	6S50090	DS37
100	87,0			16224	1248	6S50100	DS38
125	108,7			16006	985	6S50125	DS39
150	130,5			15405	790	6S50150	DS40
175	152,2			15857	697	6S50175	DS41
200	174,0			15080	580	6S50200	DS42
250	217,5			14950	460	6S50250	DS43
55	47,8			21228	2969	6S50055-D	DS38
75	65,2	25	50	21382	2193	6S50075-D	DS39
100	87,0			20956	1612	6S50100-D	DS41
125	108,7			20719	1275	6S50125-D	DS42

alle maten in millimeters





**Alcomex Veren B.V.**

De Veken 109  
1716 KG Opmeer  
Postbus 68  
1715 ZH Opmeer

**T** 0226 351122  
**E** [info@alcomex.nl](mailto:info@alcomex.nl)  
**w** [www.alcomex.nl](http://www.alcomex.nl)

