



VEREN UIT VOORRAAD

TORSIEVEREN



Torsieveren



TORSIEVEREN ROESTVAST VERENSTAAL

d	Dm	nw	A	Pos	As	Alpha	M	c	Links	Rechts	Prijs- groep
0,5	3,0	2,00		1		31		0,54	TOR100L	TOR100R	B
		2,25		2		35		0,48	TOR110L	TOR110R	B
		2,50		3		39		0,43	TOR120L	TOR120R	B
		2,75		4		43		0,39	TOR130L	TOR130R	B
		3,00	20	1	2	46	16,7	0,36	TOR140L	TOR140R	B
		4,25		2		66		0,25	TOR150L	TOR150R	B
		6,50		3		101		0,17	TOR160L	TOR160R	B
		8,75		4		135		0,12	TOR170L	TOR170R	B
		12,00		1		186		0,09	TOR180L	TOR180R	B
	4,0	2,00		1		41		0,40	TOR190L	TOR190R	B
		2,25		2		46		0,36	TOR200L	TOR200R	B
		2,50		3		52		0,32	TOR210L	TOR210R	B
		2,75		4		57		0,29	TOR220L	TOR220R	B
		3,00	20	1	3	62	16,7	0,27	TOR230L	TOR230R	B
		4,25		2		88		0,19	TOR240L	TOR240R	B
		6,50		3		134		0,12	TOR250L	TOR250R	B
		8,75		4		180		0,09	TOR260L	TOR260R	B
		12,00		1		248		0,07	TOR270L	TOR270R	B
	6,5	2,00		1		67		0,25	TOR280L	TOR280R	B
		2,25		2		75		0,22	TOR290L	TOR290R	B
		2,50		3		84		0,20	TOR300L	TOR300R	B
		2,75		4		92		0,18	TOR310L	TOR310R	B
		3,00	20	1	5	101	16,7	0,17	TOR320L	TOR320R	B
		4,25		2		142		0,12	TOR330L	TOR330R	B
		6,50		3		218		0,08	TOR340L	TOR340R	B
		8,75		4		293		0,06	TOR350L	TOR350R	B
		12,00		1		402		0,04	TOR360L	TOR360R	B
0,75	4,3	2,00		1		29		1,91	TOR370L	TOR370R	B
		2,25		2		32		1,69	TOR380L	TOR380R	B
		2,50		3		36		1,53	TOR390L	TOR390R	B
		2,75		4		40		1,39	TOR400L	TOR400R	B
		3,00	25	1	3	43	54,9	1,27	TOR410L	TOR410R	B
		4,25		2		61		0,90	TOR420L	TOR420R	B
		6,50		3		94		0,59	TOR430L	TOR430R	B
		8,75		4		126		0,44	TOR440L	TOR440R	B
		12,00		1		173		0,32	TOR450L	TOR450R	B
	6,8	2,00		1		46		1,21	TOR460L	TOR460R	B
		2,25		2		51		1,07	TOR470L	TOR470R	B
		2,50		3		57		0,96	TOR480L	TOR480R	B
		2,75		4		63		0,88	TOR490L	TOR490R	B
		3,00	25	1	5	68	54,9	0,80	TOR500L	TOR500R	B
		4,25		2		97		0,57	TOR510L	TOR510R	B
		6,50		3		148		0,37	TOR520L	TOR520R	B
		8,75		4		199		0,28	TOR530L	TOR530R	B
		12,00		1		273		0,20	TOR540L	TOR540R	B

alle maten in millimeters

TORSIEVEREN ROESTVAST VERENSTAAL

d	Dm	nw	A	Pos	As	Alpha	M	c	Links	Rechts	Prijs- groep
0,75	9,8	2,00		1		66		0,84	TOR550L	TOR550R	B
		2,25		2		74		0,74	TOR560L	TOR560R	B
		2,50		3		82		0,67	TOR570L	TOR570R	B
		2,75		4		90		0,61	TOR580L	TOR580R	B
		3,00	25	1	8	98	54,9	0,56	TOR590L	TOR590R	B
		4,25		2		139		0,39	TOR600L	TOR600R	B
		6,50		3		213		0,26	TOR610L	TOR610R	B
		8,75		4		287		0,19	TOR620L	TOR620R	B
		12,00		1		394		0,14	TOR630L	TOR630R	B
1,0	6,0	2,00		1		29		4,32	TOR640L	TOR640R	C
		2,25		2		33		3,84	TOR650L	TOR650R	C
		2,50		3		37		3,45	TOR660L	TOR660R	C
		2,75		4		40		3,14	TOR670L	TOR670R	C
		3,00	35	1	4	44	127	2,88	TOR680L	TOR680R	C
		4,25		2		63		2,03	TOR690L	TOR690R	C
		6,50		3		96		1,33	TOR700L	TOR700R	C
		8,75		4		129		0,99	TOR710L	TOR710R	C
		12,00		1		176		0,72	TOR720L	TOR720R	C
	8,0	2,00		1		39		3,24	TOR730L	TOR730R	C
		2,25		2		44		2,88	TOR740L	TOR740R	C
		2,50		3		49		2,59	TOR750L	TOR750R	C
		2,75		4		54		2,36	TOR760L	TOR760R	C
		3,00	35	1	6	59	127	2,16	TOR770L	TOR770R	C
		4,25		2		83		1,52	TOR780L	TOR780R	C
		6,50		3		127		1,00	TOR790L	TOR790R	C
		8,75		4		172		0,74	TOR800L	TOR800R	C
		12,00		1		235		0,54	TOR810L	TOR810R	C
	13,0	2,00		1		64		1,99	TOR820L	TOR820R	C
		2,25		2		72		1,77	TOR830L	TOR830R	C
		2,50		3		80		1,59	TOR840L	TOR840R	C
		2,75		4		88		1,45	TOR850L	TOR850R	C
		3,00	35	1	10	96	127	1,33	TOR860L	TOR860R	C
		4,25		2		135		0,94	TOR870L	TOR870R	C
		6,50		3		207		0,61	TOR880L	TOR880R	C
		8,75		4		279		0,46	TOR890L	TOR890R	C
		12,00		1		382		0,33	TOR900L	TOR900R	C

alle maten in millimeters

TORSIEVEREN ROESTVAST VERENSTAAL

d	Dm	nw	A	Pos	As	Alpha	M	c	Links	Rechts	Prijs- groep
1,25	7,3	2,00		1		27		8,66	TOR910L	TOR910R	C
		2,25		2		31		7,70	TOR920L	TOR920R	C
		2,50		3		34		6,93	TOR930L	TOR930R	C
		2,75		4		38		6,30	TOR940L	TOR940R	C
		3,00	40	1	5	41	238	5,78	TOR950L	TOR950R	C
		4,25		2		58		4,08	TOR960L	TOR960R	C
		6,50		3		89		2,67	TOR970L	TOR970R	C
		8,75		4		120		1,98	TOR980L	TOR980R	C
		12,00		1		165		1,44	TOR990L	TOR990R	C
	10,3	2,00		1		39		6,14	TOR1000L	TOR1000R	C
		2,25		2		44		5,46	TOR1010L	TOR1010R	C
		2,50		3		48		4,91	TOR1020L	TOR1020R	C
		2,75		4		53		4,47	TOR1030L	TOR1030R	C
		3,00	40	1	8	58	238	4,09	TOR1040L	TOR1040R	C
		4,25		2		82		2,89	TOR1050L	TOR1050R	C
		6,50		3		126		1,89	TOR1060L	TOR1060R	C
		8,75		4		170		1,40	TOR1070L	TOR1070R	C
		12,00		1		233		1,02	TOR1080L	TOR1080R	C
	15,3	2,00		1		58		4,13	TOR1090L	TOR1090R	C
		2,25		2		65		3,67	TOR1100L	TOR1100R	C
		2,50		3		72		3,31	TOR1110L	TOR1110R	C
		2,75		4		79		3,01	TOR1120L	TOR1120R	C
		3,00	40	1	12	86	238	2,76	TOR1130L	TOR1130R	C
		4,25		2		122		1,95	TOR1140L	TOR1140R	C
		6,50		3		187		1,27	TOR1150L	TOR1150R	C
		8,75		4		252		0,94	TOR1160L	TOR1160R	C
		12,00		1		345		0,69	TOR1170L	TOR1170R	C
1,5	8,5	2,00		1		26		15,43	TOR1180L	TOR1180R	D
		2,25		2		29		13,72	TOR1190L	TOR1190R	D
		2,50		3		32		12,43	TOR1200L	TOR1200R	D
		2,75		4		35		11,22	TOR1210L	TOR1210R	D
		3,00	45	1	5	39	397	10,29	TOR1220L	TOR1220R	D
		4,25		2		55		7,26	TOR1230L	TOR1230R	D
		6,50		3		84		4,75	TOR1240L	TOR1240R	D
		8,75		4		113		3,53	TOR1250L	TOR1250R	D
		12,00		1		154		2,57	TOR1260L	TOR1260R	D
	13,5	2,00		1		41		9,72	TOR1270L	TOR1270R	D
		2,25		2		46		8,64	TOR1280L	TOR1280R	D
		2,50		3		51		7,77	TOR1290L	TOR1290R	D
		2,75		4		56		7,07	TOR1300L	TOR1300R	D
		3,00	45	1	10	61	397	6,48	TOR1310L	TOR1310R	D
		4,25		2		87		4,57	TOR1320L	TOR1320R	D
		6,50		3		133		2,99	TOR1330L	TOR1330R	D
		8,75		4		179		2,22	TOR1340L	TOR1340R	D
		12,00		1		245		1,62	TOR1350L	TOR1350R	D

alle maten in millimeters

TORSIEVEREN ROESTVAST VERENSTAAL

d	Dm	nw	A	Pos	As	Alpha	M	c	Links	Rechts	Prijs- groep
		2,00		1		56		7,09	TOR1360L	TOR1360R	D
		2,25		2		63		6,30	TOR1370L	TOR1370R	D
		2,50		3		70		5,67	TOR1380L	TOR1380R	D
		2,75		4		77		5,16	TOR1390L	TOR1390R	D
	18,5	3,00	45	1	15	84	397	4,73	TOR1400L	TOR1400R	D
	4,25		2		119		3,34	TOR1410L	TOR1410R	D	
	6,50		3		182		2,18	TOR1420L	TOR1420R	D	
	8,75		4		245		1,62	TOR1430L	TOR1430R	D	
	12,00		1		336		1,18	TOR1440L	TOR1440R	D	
2,0		2,00		1		24		37,68	TOR1450L	TOR1450R	D
		2,25		2		27		33,50	TOR1460L	TOR1460R	D
		2,50		3		30		30,15	TOR1470L	TOR1470R	D
		2,75		4		33		27,41	TOR1480L	TOR1480R	D
	11,0	3,00	60	1	8	36	913	25,12	TOR1490L	TOR1490R	D
		4,25		2		51		17,73	TOR1500L	TOR1500R	D
		6,50		3		79		11,59	TOR1510L	TOR1510R	D
		8,75		4		106		8,61	TOR1520L	TOR1520R	D
	12,00		1		145		6,28	TOR1530L	TOR1530R	D	
	16,0	2,00		1		35		25,91	TOR1540L	TOR1540R	D
		2,25		2		40		23,03	TOR1550L	TOR1550R	D
		2,50		3		44		20,73	TOR1560L	TOR1560R	D
		2,75		4		48		18,84	TOR1570L	TOR1570R	D
		3,00	60	1	12	53	913	17,27	TOR1580L	TOR1580R	D
		4,25		2		75		12,19	TOR1590L	TOR1590R	D
		6,50		3		115		7,97	TOR1600L	TOR1600R	D
		8,75		4		154		5,92	TOR1610L	TOR1610R	D
	12,00		1		211		4,32	TOR1620L	TOR1620R	D	
		2,00		1		55		16,58	TOR1630L	TOR1630R	D
		2,25		2		62		14,74	TOR1640L	TOR1640R	D
		2,50		3		69		13,26	TOR1650L	TOR1650R	D
		2,75		4		76		12,06	TOR1660L	TOR1660R	D
	25,0	3,00	60	1	20	83	913	11,05	TOR1670L	TOR1670R	D
		4,25		2		117		7,80	TOR1680L	TOR1680R	D
		6,50		3		179		5,10	TOR1690L	TOR1690R	D
		8,75		4		241		3,79	TOR1700L	TOR1700R	D
		12,00		1		330		2,76	TOR1710L	TOR1710R	D

alle maten in millimeters

TORSIEVEREN ROESTVAST VERENSTAAL

d	Dm	nw	A	Pos	As	Alpha	M	c	Links	Rechts	Prijs- groep
2,5	14,5	2,00		1		25		69,79	TOR1720L	TOR1720R	F
		2,25		2		28		62,04	TOR1730L	TOR1730R	F
		2,50		3		31		55,83	TOR1740L	TOR1740R	F
		2,75		4		35		50,76	TOR1750L	TOR1750R	F
		3,00	70	1	10	38	1755	46,53	TOR1760L	TOR1760R	F
		4,25		2		53		32,84	TOR1770L	TOR1770R	F
		6,50		3		82		21,47	TOR1780L	TOR1780R	F
		8,75		4		110		15,95	TOR1790L	TOR1790R	F
		12,00		1		151		11,63	TOR1800L	TOR1800R	F
	19,5	2,00		1		34		51,90	TOR1810L	TOR1810R	F
		2,25		2		38		46,13	TOR1820L	TOR1820R	F
		2,50		3		42		41,52	TOR1830L	TOR1830R	F
		2,75		4		46		37,74	TOR1840L	TOR1840R	F
		3,00	70	1	15	51	1755	34,60	TOR1850L	TOR1850R	F
		4,25		2		72		24,42	TOR1860L	TOR1860R	F
		6,50		3		110		15,97	TOR1870L	TOR1870R	F
		8,75		4		148		11,86	TOR1880L	TOR1880R	F
		12,00		1		203		8,65	TOR1890L	TOR1890R	F
	30,5	2,00		1		53		33,18	TOR1900L	TOR1900R	F
		2,25		2		60		29,49	TOR1910L	TOR1910R	F
		2,50		3		66		26,54	TOR1920L	TOR1920R	F
		2,75		4		73		24,13	TOR1930L	TOR1930R	F
		3,00	70	1	25	79	1755	22,12	TOR1940L	TOR1940R	F
		4,25		2		112		15,61	TOR1950L	TOR1950R	F
		6,50		3		172		10,21	TOR1960L	TOR1960R	F
		8,75		4		231		7,58	TOR1970L	TOR1970R	F
		12,00		1		317		5,53	TOR1980L	TOR1980R	F
3,0	17,0	2,00		1		24		123,40	TOR1990L	TOR1990R	H
		2,25		2		27		109,70	TOR2000L	TOR2000R	H
		2,50		3		30		98,80	TOR2010L	TOR2010R	H
		2,75		4		32		89,80	TOR2020L	TOR2020R	H
		3,00	80	1	12	35	2914	82,30	TOR2030L	TOR2030R	H
		4,25		2		50		58,10	TOR2040L	TOR2040R	H
		6,50		3		77		38,00	TOR2050L	TOR2050R	H
		8,75		4		103		28,20	TOR2060L	TOR2060R	H
		12,00		1		142		20,60	TOR2070L	TOR2070R	H
	26,0	2,00		1		36		80,70	TOR2080L	TOR2080R	H
		2,25		2		41		71,70	TOR2090L	TOR2090R	H
		2,50		3		45		64,60	TOR2100L	TOR2100R	H
		2,75		4		50		58,70	TOR2110L	TOR2110R	H
		3,00	80	1	20	54	2914	53,80	TOR2120L	TOR2120R	H
		4,25		2		77		38,00	TOR2130L	TOR2130R	H
		6,50		3		117		24,80	TOR2140L	TOR2140R	H
		8,75		4		158		18,40	TOR2150L	TOR2150R	H
		12,00		1		217		13,50	TOR2160L	TOR2160R	H

alle maten in millimeters

TORSIEVEREN ROESTVAST VERENSTAAL

d	Dm	nw	A	Pos	As	Alpha	M	c	Links	Rechts	Prijs- groep
		2,00		1		51		56,70	TOR2170L	TOR2170R	H
		2,25		2		58		50,40	TOR2180L	TOR2180R	H
		2,50		3		64		45,40	TOR2190L	TOR2190R	H
		2,75		4		71		41,20	TOR2200L	TOR2200R	H
	37,0	3,00	80	1	30	77	2914	37,80	TOR2210L	TOR2210R	H
		4,25		2		109		26,70	TOR2220L	TOR2220R	H
		6,50		3		167		17,50	TOR2230L	TOR2230R	H
		8,75		4		225		13,00	TOR2240L	TOR2240R	H
		12,00		1		308		9,50	TOR2250L	TOR2250R	H

BEZOEK ONZE WEBSHOP



WWW.ALCOMEX.NL



Alcomex Veren B.V.

De Veken 109
1716 KG Opmeer
Postbus 68
1715 ZH Opmeer

T 0226 351122
E info@alcomex.nl
w www.alcomex.nl

